



V300 Trinsic™ Series Acoustical Ratings

Rev. Date: 10/17/23

Operating Style	Series Numbers	Tested Size	OA	Glass 1	Glass 2	Spacer		STC	OITC	Test Date	Test Number
						Intercept or Cardinal	Foam or Dura				
Horizontal Slider	2110 2111 2130 2130J 2170	59" x 47"	3/4"	1/8	1/8	x		29	24	4/25/23	TL23-149
			3/4"	1/8	3/16	x		33	28	4/25/23	TL23-150
			3/4"	1/8	LAM		x	34	29	4/25/23	TL23-151
			3/4"	3/16	3/16	x		31	26	4/26/23	TL23-153
			3/4"	3/16	1/4		x	33	29	4/26/23	TL23-154
			3/4"	1/4	1/4		x	32	29	4/26/23	TL23-155
			3/4"	1/4	LAM		x	33	29	4/26/23	TL23-157
Vertical Slider	2210 2211 2230 2230J 2270	47" x 59"	3/4"	1/8	1/8	x		30	25	8/23/23	TL23-331
			3/4"	1/8	3/16	x		33	29	8/23/23	TL23-333
			3/4"	1/8	LAM		x	33	29	8/23/23	TL23-334
			3/4"	3/16	3/16	x		31	28	8/23/23	TL23-336
			3/4"	3/16	1/4		x	32	29	8/23/23	TL23-338
			3/4"	1/4	1/4		x	32	30	8/24/23	TL23-339
			3/4"	1/4	LAM		x	34	31	8/24/23	TL23-340
Picture Window - Slider Frame	2310 2311 2331 2331J 2370	47" x 59"	3/4"	1/8	1/8	x		28	24	5/12/23	TL23-214
			3/4"	1/8	3/16	x		32	27	5/12/23	TL23-215
			3/4"	3/16	LAM		x	33	29	5/12/23	TL23-216
			3/4"	3/16	3/16	x		31	27	5/12/23	TL23-217
			3/4"	3/16	1/4		x	34	30	5/12/23	TL23-218
			3/4"	1/4	1/4		x	33	29	5/12/23	TL23-219R1
			3/4"	1/4	LAM		x	35	30	5/12/23	TL23-220
Picture Window - Step Frame	2340 2341 2330 2330J	47" x 59"	1"	1/8	1/8	x		29	24	4/25/23	TL23-141
			1"	1/8	3/16	x		33	26	4/25/23	TL23-142
			1"	3/16	LAM		x	34	28	4/25/23	TL23-143
			1"	3/16	3/16	x		31	24	4/25/23	TL23-144
			1"	3/16	1/4		x	34	28	4/25/23	TL23-145
			1"	1/4	1/4		x	32	27	4/25/23	TL23-146
			1"	1/4	LAM		x	34	28	4/25/23	TL23-147
Picture Window - CA/AW Frame	2350 2351 2360 2375	47" x 59"	7/8"	1/8	1/8	x		29	24	5/11/23	TL23-207
			7/8"	1/8	3/16	x		33	26	5/11/23	TL23-208
			7/8"	3/16	LAM		x	34	29	5/11/23	TL23-209
			7/8"	3/16	3/16	x		32	27	5/11/23	TL23-210
			7/8"	3/16	1/4	x		33	28	5/11/23	TL23-211
			7/8"	1/4	1/4	x		32	27	5/11/23	TL23-212
			7/8"	1/4	LAM		x	35	30	5/11/23	TL23-213



V300 Trinsic™ Series Acoustical Ratings

Rev. Date: 10/17/23

Operating Style	Series Numbers	Tested Size	OA	Glass 1	Glass 2	Spacer		STC	OITC	Test Date	Test Number
						Intercept or Cardinal	Foam or Dura				
Awning	2410 2411 2430 2470	59" x 24"	7/8"	1/8	1/8	x		29	25	8/22/23	TL23-314
			7/8"	1/8	3/16	x		32	28	8/22/23	TL23-315
			7/8"	3/16	LAM		x	33	29	8/22/23	TL23-328
			7/8"	3/16	3/16	x		30	26	8/22/23	TL23-318
			7/8"	3/16	1/4	x		33	29	8/22/23	TL23-319
			7/8"	1/4	1/4	x		32	28	8/22/23	TL23-320
			7/8"	1/4	LAM		x	32	28	8/22/23	TL23-322
Casement	2510 2511 2530 2570	24" x 59"	7/8"	1/8	1/8	x		30	26	8/22/23	TL23-323
			7/8"	1/8	3/16	x		34	30	8/22/23	TL23-324
			7/8"	3/16	LAM		x	35	30	8/22/23	TL23-325
			7/8"	3/16	3/16	x		33	27	8/22/23	TL23-326
			7/8"	3/16	1/4	x		35	30	8/22/23	TL23-327
			7/8"	1/4	1/4	x		35	30	8/23/23	TL23-329
			7/8"	1/4	LAM		x	37	32	8/23/23	TL23-330
Sliding Patio Door	2610 2611 2630 2670	79" x 79"	1"	1/8	1/8	x		30	24	8/24/23	TL23-342
			1"	1/8	3/16	x		34	27	8/24/23	TL23-341
			1"	3/16	LAM		x	36	29	8/24/23	TL23-346
			1"	3/16	3/16	x		32	26	8/24/23	TL23-344
			1"	3/16	1/4	x		34	28	8/24/23	TL23-345
			1"	1/4	1/4	x		33	27	8/24/23	TL23-343
			1"	1/4	LAM		x	37	30	8/24/23	TL23-349